

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Date of creation: 12 May 2015

Revised on: 29 Apr 2026

Version: 3.1, replaces version 3

Page 1/12

OBTEGO
NOT JUST SURFACE

OBTEGO R-40-(A)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

OBTEGO R-40-(A)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Pigmented 2K impregnation based on lithium silicate with integrated stain protection

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

OBTEGO AG

Landshuter Straße 36

84051 Essenbach/Altheim

Germany

Telephone: +49 8703/93844-0

Telefax: +49 8703/93844-29

E-mail: sdb@obtego.com

Website: www.obtego.com

E-mail (competent person): sdb@obtego.com

1.4. Emergency telephone number

24h: +49(0)89-19240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Skin corrosion/irritation (<i>Skin Irrit. 2</i>)	H315: Causes skin irritation.	
Serious eye damage/eye irritation (<i>Eye Dam. 1</i>)	H318: Causes serious eye damage.	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Date of creation: 12 May 2015

Revised on: 29 Apr 2026

Version: 3.1, replaces version 3

Page 2/12

OBTEGO

NOT JUST SURFACE

OBTEGO R-40-(A)

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS05

Corrosion

Signal word: Danger

Hazard statements for health hazards

H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statements Prevention

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves and eye protection/face protection.

Precautionary statements Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332 + P313 If skin irritation occurs: Get medical advice/attention.

2.3. Other hazards

Adverse human health effects and symptoms:

The mixture does not contain substances $\geq 0.1\%$ of substances that have endocrine disrupting properties according to Regulation (EC) No. 1907/2006, Article 59(1) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 2530-83-8 EC No.: 219-784-2 REACH No.: 01-2119513212-58-XXXX	[3-(2,3-epoxypropoxy)propyl]trimethoxysilane Aquatic Chronic 3 (H412), Eye Dam. 1 (H318)  Danger	0 - < 2 weight-%
CAS No.: 31795-24-1 EC No.: 250-807-9	potassium methylsilanetriolate Skin Corr. 1A (H314)  Danger	0 - < 2 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended. First aider: Pay attention to self-protection! Warning

Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

In case of skin contact:

If skin irritation or rash occurs: Get medical advice/attention. After contact with skin, wash immediately with plenty of water and soap.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Date of creation: 12 May 2015

Revised on: 29 Apr 2026

Version: 3.1, replaces version 3

Page 3/12

OBTEGO
NOT JUST SURFACE

OBTEGO R-40-(A)

After eye contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion:

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Rinse mouth. Get medical advice/attention if you feel unwell. Let 1 glass of water be drunk in little sips (dilution effect).

Self-protection of the first aider:

Use personal protection equipment.

4.2. Most important symptoms and effects, both acute and delayed

Skin corrosion/irritation. Serious eye damage/eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media:

Full water jet

5.2. Special hazards arising from the substance or mixture

Pyrolysis products, toxic The product itself does not burn.

Hazardous combustion products:

Nitrogen oxides (NOx), Formaldehyde, Carbon dioxide (CO₂), Carbon monoxide In case of fire: Gases/vapours, toxic

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Dispose of waste according to applicable legislation.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Remove persons to safety. Special danger of slipping by leaking/spilling product. Provide adequate ventilation.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up:

Wipe up with absorbent material (eg. cloth, fleece). Wash with plenty of water. Water (with cleaning agent)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Date of creation: 12 May 2015

Revised on: 29 Apr 2026

Version: 3.1, replaces version 3

Page 4/12

OBTEGO
NOT JUST SURFACE

OBTEGO R-40-(A)

Other information:

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7. Personal protection equipment: see section 8. Disposal: see section 13.

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8). Provide adequate ventilation.

Fire prevent measures:

Usual measures for fire prevention. No special measures are necessary.

Measures to prevent aerosol and dust generation:

Use only in well-ventilated areas.

Environmental precautions:

Do not allow to enter into surface water or drains.

Advices on general occupational hygiene

Wash hands before breaks and after work. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Packaging materials:

Keep/Store only in original container.

Requirements for storage rooms and vessels:

The floor should be leak tight, jointless and not absorbent.

Hints on storage assembly:

Do not store together with: Food and feedingstuffs

Storage class (TRGS 510, Germany): 12 – non-combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions:

Protect containers against damage. Keep away from heat.

7.3. Specific end use(s)

Recommendation:

Observe technical data sheet.

Industrial sector specific solutions:

Covering agents, water based, alkaline

GISCODE:

BSW40

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Date of creation: 12 May 2015

Revised on: 29 Apr 2026

Version: 3.1, replaces version 3

Page 5/12

OBTEGO
NOT JUST SURFACE

OBTEGO R-40-(A)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
DFG (DE) from 1 Jul 2024	KATHON CG CAS No.: 55965-84-9	① 0.2 mg/m ³ ⑤ (einatembare Fraktion) Gemisch aus cas 26172-55 und 2682-20
TRGS 900 (DE)	2-octyl-2H-isothiazol-3-one CAS No.: 26530-20-1 EC No.: 247-761-7	① 0.05 mg/m ³ ② 0.1 mg/m ³ ⑤ (einatembare Fraktion; kann über die Haut aufgenommen werden) DFG, H, Y

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane CAS No.: 2530-83-8 EC No.: 219-784-2	147 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane CAS No.: 2530-83-8 EC No.: 219-784-2	43.5 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane CAS No.: 2530-83-8 EC No.: 219-784-2	147 mg/m ³	① DNEL worker ② Acute - inhalation, systemic effects
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane CAS No.: 2530-83-8 EC No.: 219-784-2	43.5 mg/m ³	① DNEL Consumer ② Acute - inhalation, systemic effects
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane CAS No.: 2530-83-8 EC No.: 219-784-2	21 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane CAS No.: 2530-83-8 EC No.: 219-784-2	12.5 mg/kg bw/day	① DNEL Consumer ② Long-term - dermal, systemic effects
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane CAS No.: 2530-83-8 EC No.: 219-784-2	21 mg/kg bw/day	① DNEL worker ② Acute - dermal, systemic effects
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane CAS No.: 2530-83-8 EC No.: 219-784-2	12.5 mg/kg bw/day	① DNEL Consumer ② Acute - dermal, systemic effects

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Date of creation: 12 May 2015

Revised on: 29 Apr 2026

Version: 3.1, replaces version 3

OBTEGO

NOT JUST SURFACE

Page 6/12

OBTEGO R-40-(A)

Substance name	DNEL value	① DNEL type ② Exposure route
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane CAS No.: 2530-83-8 EC No.: 219-784-2	12.5 mg/kg bw/day	① DNEL Consumer ② Long-term - oral, systemic effects
Substance name	PNEC Value	① PNEC type
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane CAS No.: 2530-83-8 EC No.: 219-784-2	1 mg/L	① PNEC aquatic, freshwater
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane CAS No.: 2530-83-8 EC No.: 219-784-2	0.1 mg/L	① PNEC aquatic, marine water
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane CAS No.: 2530-83-8 EC No.: 219-784-2	10 mg/L	① PNEC sewage treatment plant
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane CAS No.: 2530-83-8 EC No.: 219-784-2	0.79 mg/kg	① PNEC sediment, freshwater
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane CAS No.: 2530-83-8 EC No.: 219-784-2	0.079 mg/kg	① PNEC sediment, marine water
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane CAS No.: 2530-83-8 EC No.: 219-784-2	0.13 mg/kg	① PNEC soil, freshwater

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Technical measures to prevent exposure

8.2.2. Personal protection equipment

Eye/face protection:

Eye glasses with side protection EN 166

Skin protection:

Tested protective gloves must be worn EN ISO 374. Suitable material: Butyl caoutchouc (butyl rubber), Breakthrough time: > 120 min. In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

Respiratory protection:

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Respiratory protection necessary at: aerosol or mist formation. EN 136 Filtering device (full mask or mouthpiece) with filter: P2

Other protection measures:

Do not breathe vapour/aerosol. Avoid contact with eyes and skin. Wear suitable protective clothing and gloves.

8.2.3. Environmental exposure controls

See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid

Form: Liquid

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Date of creation: 12 May 2015

Revised on: 29 Apr 2026

Version: 3.1, replaces version 3

Page 7/12

OBTEGO

NOT JUST SURFACE

OBTEGO R-40-(A)

Colour: diverse

Odour: not determined

flammability: No

Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	11	20 °C	
Melting point	No data available		
Freezing point	No data available		
Initial boiling point and boiling range	≈ 100 °C		
Flash point	not applicable		
Evaporation rate	No data available		
Auto-ignition temperature	not applicable		
Upper/lower flammability or explosive limits	No data available		
Vapour pressure	No data available		
Vapour density	No data available		
Density	≈ 1.15 g/cm ³	20 °C	
Bulk density	not applicable		
Water solubility	completely miscible	20 °C	
Dynamic viscosity	No data available		
Kinematic viscosity	No data available	40 °C	

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions. The product itself does not burn.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid

10.4. Conditions to avoid

See section 7. No additional measures necessary.

10.5. Incompatible materials

Materials to avoid: Acid, Light metals (Formation of: Hydrogen)

10.6. Hazardous decomposition products

No known hazardous decomposition products. In case of fire: Gases/vapours, toxic

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

[3-(2,3-epoxypropoxy)propyl]trimethoxysilane CAS No.: 2530-83-8 EC No.: 219-784-2	
LD₅₀ oral: 8,025 mg/kg (Rat)	
LD₅₀ dermal: 4,250 mg/kg (Rabbit)	
LC₅₀ Acute inhalation toxicity (dust/mist): >5.3 mg/L (Rabbit)	
potassium methylsilanetriolate CAS No.: 31795-24-1 EC No.: 250-807-9	
LD₅₀ oral: >2,000 mg/kg (rat) OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Date of creation: 12 May 2015

Revised on: 29 Apr 2026

Version: 3.1, replaces version 3

Page 8/12

OBTEGO
NOT JUST SURFACE

OBTEGO R-40-(A)

KATHON CG CAS No.: 55965-84-9
ATE oral: >5,000 mg/kg
ATE dermal: >3,700 mg/kg
ATE inhalativ Stäube+Nebel: >5 mg/L
LD₅₀ oral: 66 mg/kg (rat) EPA OPP 81-1 (Acute Oral Toxicity)
LD₅₀ dermal: >1,008 mg/kg (rat) EPA OPP 81-2 (Acute Dermal Toxicity)
LC₅₀ Acute inhalation toxicity (dust/mist): 0.33 mg/L 4 h (rat) OECD Guideline 403 (Acute Inhalation Toxicity)

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Causes skin irritation.

Serious eye damage/irritation:

Causes serious eye damage. Causes serious eye damage.

Respiratory or skin sensitisation:

Contains KATHON CG. May produce an allergic reaction.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

The evaluation was carried out according to the calculation method. No data available

11.2. Information on other hazards

Endocrine disrupting properties:

The substance is identified as having no endocrine disrupting properties according to Regulation (EC) No. 1907/2006, Article 59(1) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

[3-(2,3-epoxypropoxy)propyl]trimethoxysilane CAS No.: 2530-83-8 EC No.: 219-784-2
EC₅₀: 324 mg/L 2 d (Simocephalus vetulus)
EC₅₀: 119 mg/L 3 d (Algae/water plant, Anabaena flos-aquae)
NOEC: >100 mg/L 21 d (Daphnia magna (Big water flea))
LC₅₀: 55 mg/L 4 d (fish, Cyprinus carpio) EU Method C.1 (Acute Toxicity for Fish)
LC₅₀: 324 mg/L 2 d (crustaceans, Simocephalus vetulus)
EC₅₀: 250 mg/L 4 d (Algae/water plant, Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum))
NOEC: 130 mg/L 4 d (Algae/water plant, Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum))
NOEC: <250 mg/L 2 d (crustaceans, Simocephalus vetulus)
NOEC: ≥100 mg/L 21 d (crustaceans, Daphnia magna) OECD Guideline 211 (Daphnia magna Reproduction Test)
LOEC: >100 mg/L 21 d (crustaceans, Daphnia magna) OECD Guideline 211 (Daphnia magna Reproduction Test)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Date of creation: 12 May 2015

Revised on: 29 Apr 2026

Version: 3.1, replaces version 3

Page 9/12

OBTEGO
NOT JUST SURFACE

OBTEGO R-40-(A)

potassium methylsilanetriolate CAS No.: 31795-24-1 EC No.: 250-807-9
LC₅₀ : >500 mg/L 4 d (fish, Danio rerio (previous name: Brachydanio rerio)) EU Method C.1 (Acute Toxicity for Fish)
EC₅₀ : >3.6 mg/L 3 d (Algae/water plant, Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)) OECD Guideline 201 (Alga, Growth Inhibition Test)
EC₅₀ : >100 mg/L 2 d (crustaceans, Daphnia magna) OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
NOEC : ≥3.6 mg/L 3 d (Algae/water plant, Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)) OECD Guideline 201 (Alga, Growth Inhibition Test)
NOEC : ≥500 mg/L 4 d (fish, Danio rerio (previous name: Brachydanio rerio)) EU Method C.1 (Acute Toxicity for Fish)
NOEC : <10 mg/L 2 d (crustaceans, Daphnia magna) OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
KATHON CG CAS No.: 55965-84-9
LC₅₀ : 0.07 mg/L 14 d (fish, Oncorhynchus mykiss (previous name: Salmo gairdneri)) OECD Guideline 204 (Fish, Prolonged Toxicity Test: 14-day Study)
LC₅₀ : 0.282 mg/L 4 d (crustaceans, Americamysis bahia (previous name: Mysisidopsis bahia)) EPA OPPTS 850.1035 (Mysid Acute Toxicity Test)
EC₅₀ : 0.1 mg/L 2 d (Daphnia magna (Big water flea)) OECD 202
EC₅₀ : 0.048 mg/L 3 d (Pseudokirchneriella subcapitata) OECD 201
EC₅₀ : 0.22 mg/L 4 d (Oncorhynchus mykiss (Rainbow trout)) OECD 203
EC₅₀ : 7.92 mg/L (Activated sludge) OECD 209
EC₅₀ : 0.0063 mg/L 3 d (Algae/water plant, Skeletonema costatum) OECD Guideline 201 (Alga, Growth Inhibition Test)
EC₅₀ : 0.099 mg/L 2 d (crustaceans, Daphnia magna) OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
NOEC : 0.004 mg/L 21 d (Daphnia magna (Big water flea)) OECD 211
NOEC : 0.098 mg/L 28 d (Oncorhynchus mykiss (Rainbow trout)) OECD 210
NOEC : 0.0012 mg/L 3 d (Pseudokirchneriella subcapitata) OECD 201
NOEC : 0.00049 mg/L 2 d (Algae/water plant, Skeletonema costatum) OECD Guideline 201 (Alga, Growth Inhibition Test)
NOEC : ≥0.0464 mg/L 35 d (fish, Danio rerio (previous name: Brachydanio rerio)) OECD Guideline 210 (Fish, Early-Life Stage Toxicity Test)
NOEC : 0.004 mg/L 21 d (crustaceans, Daphnia magna) OECD Guideline 211 (Daphnia magna Reproduction Test)
LOEC : 0.144 mg/L 28 d (fish, Oncorhynchus mykiss (previous name: Salmo gairdneri)) OECD Guideline 215 (Fish, Juvenile Growth Test)
LOEC : 0.012 mg/L 21 d (crustaceans, Daphnia magna) OECD Guideline 211 (Daphnia magna Reproduction Test)
2-octyl-2H-isothiazol-3-one CAS No.: 26530-20-1 EC No.: 247-761-7
LC₅₀ : 0.036 mg/L 4 d (fish)
LC₅₀ : 0.18 mg/L 4 d (fish)
EC₅₀ : 0.42 mg/L 2 d (crustaceans, Daphnien)
EC₅₀ : 0.084 mg/L 3 d (Algae/water plant)
NOEC : 0.002 mg/L 21 d (crustaceans, Daphnien)
NOEC : 0.022 mg/L 28 d (fish)
NOEC : 0.004 mg/L 3 d (Algae/water plant)

12.2. Persistence and degradability

[3-(2,3-epoxypropoxy)propyl]trimethoxysilane CAS No.: 2530-83-8 EC No.: 219-784-2
Biodegradation: Yes, slowly
potassium methylsilanetriolate CAS No.: 31795-24-1 EC No.: 250-807-9
Biodegradation: —
KATHON CG CAS No.: 55965-84-9
Biodegradation: Yes, rapidly
4,5-dichloro-2-octyl-2H-isothiazol-3-one CAS No.: 64359-81-5 EC No.: 264-843-8
Biodegradation: —
2-octyl-2H-isothiazol-3-one CAS No.: 26530-20-1 EC No.: 247-761-7
Biodegradation: —

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Date of creation: 12 May 2015

Revised on: 29 Apr 2026

Version: 3.1, replaces version 3

Page 10/12

OBTEGO
NOT JUST SURFACE

OBTEGO R-40-(A)

12.3. Bioaccumulative potential

[3-(2,3-epoxypropoxy)propyl]trimethoxysilane CAS No.: 2530-83-8 EC No.: 219-784-2	
Log K _{ow} : -2.6	
KATHON CG CAS No.: 55965-84-9	
Log K _{ow} : 0.75	
Bioconcentration factor (BCF): 3.6	
2-octyl-2H-isothiazol-3-one CAS No.: 26530-20-1 EC No.: 247-761-7	
Log K _{ow} : 2.61	

Accumulation / Evaluation:

No indication of bioaccumulation potential.

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

[3-(2,3-epoxypropoxy)propyl]trimethoxysilane CAS No.: 2530-83-8 EC No.: 219-784-2	
Results of PBT and vPvB assessment: —	
potassium methylsilanetriolate CAS No.: 31795-24-1 EC No.: 250-807-9	
Results of PBT and vPvB assessment: —	
KATHON CG CAS No.: 55965-84-9	
Results of PBT and vPvB assessment: —	
2-octyl-2H-isothiazol-3-one CAS No.: 26530-20-1 EC No.: 247-761-7	
Results of PBT and vPvB assessment: —	

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product contains a substance that has endocrine disrupting properties with respect to humans.

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

08 02 99	Wastes not otherwise specified
----------	--------------------------------

Waste code packaging

15 01 10 *	packaging containing residues of or contaminated by dangerous substances
------------	--

*: Evidence for disposal must be provided.

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or ID number			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Date of creation: 12 May 2015

Revised on: 29 Apr 2026

Version: 3.1, replaces version 3

Page 11/12

OBTEGO

NOT JUST SURFACE

OBTEGO R-40-(A)

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.2. UN proper shipping name			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es)			
not relevant	not relevant	not relevant	not relevant
14.4. Packing group			
not relevant	not relevant	not relevant	not relevant
14.5. Environmental hazards			
not relevant	not relevant	not relevant	not relevant
14.6. Special precautions for user			
not relevant	not relevant	not relevant	not relevant

14.7. Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Synthetic polymer microparticles (as per entry 78 in Annex XVII of Regulation (EC) No. 1907/2006)

No synthetic microparticles are present.

Other regulations (EU):

2008/98/EC, 2001/118/EC, 1999/13/EC, 2004/42/EC, (EC) No. 1907/2006, (EU) 2015/830, 75/324/EEC, 2008/47/EC, (EC) No. 1272/2008, 2008/68/EC, (EC) No. 648/2004

Information on Directive 1999/13/EC on the limitation of emissions of volatile organic compounds (VOC Directive): VOC value: 11 g/L

VOC EU Limit (2004/42/EG) (cat. IIA/j): 140 g/L, VOC value: 11 g/L

This product meets the requirements of Regulation (EC) No. 1935/2004 on the limitation of VOC content.

Maximum VOC content of the product in a ready to use condition: 11 g/L

15.1.2. National regulations

[DE] National regulations

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Störfallverordnung (12. BlmschV)

Remark:

Not subject to StörfallVO.

Technische Anleitung zur Reinhaltung der Luft (TA-Luft)

Remark:

Total dust emission value may not be exceeded (see number 5.2.1).

Water hazard class

WGK:

2 - obviously hazardous to water

Description:

Classification according to VwVwS, Annex 3.

Technische Regeln für Gefahrstoffe

TRGS 200, TRGS 401, TRGS 510, TRGS 900, TRGS 905

Berufsgenossenschaftliche Vorschriften (DGUV-Vorschriften)

Berufsgenossenschaftliche Informationen (DGUV-Informationen): BGI 595, BGI 564

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Date of creation: 12 May 2015

Revised on: 29 Apr 2026

Version: 3.1, replaces version 3

Page 12/12

OBTEGO
NOT JUST SURFACE

OBTEGO R-40-(A)

Other regulations, restrictions and prohibition regulations

Gefahrstoffverordnung (GefStoffV), Wasserhaushaltsgesetz (WHG)

15.2. Chemical Safety Assessment

not applicable

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

See overview table at www.euphrac.eu

16.3. Key literature references and sources for data

Quelle: Europäische Chemikalienagentur, <http://echa.europa.eu/>

Substance name	Type	source of supply
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane CAS No.: 2530-83-8 EC No.: 219-784-2	Classification of the substance or mixture; LC ₅₀ ; EC ₅₀ ; NOEC; LOEC	Source: European Chemicals Agency, http://echa.europa.eu/
potassium methylsilanetriolate CAS No.: 31795-24-1 EC No.: 250-807-9	Classification of the substance or mixture; LD ₅₀ oral; LC ₅₀ ; EC ₅₀ ; NOEC	Source: European Chemicals Agency, http://echa.europa.eu/
KATHON CG CAS No.: 55965-84-9	LD ₅₀ oral; LD ₅₀ dermal; LC ₅₀ Acute inhalation toxicity (dust/mist); LC ₅₀ ; EC ₅₀ ; NOEC; LOEC	Source: European Chemicals Agency, http://echa.europa.eu/

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Skin corrosion/irritation (<i>Skin Irrit. 2</i>)	H315: Causes skin irritation.	
Serious eye damage/eye irritation (<i>Eye Dam. 1</i>)	H318: Causes serious eye damage.	

16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements	
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects.

16.6. Training advice

No data available

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.