

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Date of creation: 11 Feb 2025

Revised on: 9 Sept 2026

Version: 2.2, replaces version 2.1

OBTEGO
NOT JUST SURFACE

Page 1/11

OBTEGO SP-100

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

OBTEGO SP-100

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

surface preparation

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

OBTEGO AG

Landshuter Straße 36

84051 Essenbach/Altheim

Germany

Telephone: +49 8703/93844-0

Telefax: +49 8703/93844-29

Email: sdb@obtego.com

Website: www.obtego.com

Email (competent person): sdb@obtego.com

1.4. Emergency telephone number

Giftnotruf, München, 24h: +49 (0)89-19240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard statements: none

Supplemental hazard information: none

Precautionary statements Prevention

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statements Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

Adverse human health effects and symptoms:

The substance/mixture does not contain components that are endocrine disruptors according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more. The substance/mixture does not contain components that are endocrine disruptors according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more.

Adverse environmental effects:

This substance/mixture does not contain any components in concentrations of 0.1% or higher that are either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB). very bioaccumulative (vPvB).

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Date of creation: 11 Feb 2025

Revised on: 9 Sept 2026

Version: 2.2, replaces version 2.1

OBTEGO
NOT JUST SURFACE

Page 2/11

OBTEGO SP-100

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 1312-76-1 EC No.: 215-199-1 REACH No.: 01-2119456888-17-0002	Silicic acid, potassium salt Eye Irrit. 2 (H319), STOT SE 3 (H335), Skin Irrit. 2 (H315)  Warning Specific concentration limit (SCL) STOT SE 3; H335: C ≥ 75% Eye Irrit. 2; H319: C ≥ 40% Skin Irrit. 2; H315: C ≥ 40%	0 - ≤ 10 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

Following inhalation:

Provide fresh air.

After eye contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Following ingestion:

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Rinse mouth. Let water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

The product itself does not burn.

Unsuitable extinguishing media:

Full water jet

5.2. Special hazards arising from the substance or mixture

Pyrolysis products, toxic

Hazardous combustion products:

In case of fire: Gases/vapours, toxic Nitrogen oxides (NOx) Carbon dioxide (CO₂) Carbon monoxide

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Dispose of waste according to applicable legislation.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Date of creation: 11 Feb 2025

Revised on: 9 Sept 2026

Version: 2.2, replaces version 2.1

OBTEGO
NOT JUST SURFACE

Page 3/11

OBTEGO SP-100

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Remove persons to safety. Special danger of slipping by leaking/spilling product. Provide adequate ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up:

Wipe up with absorbent material (eg. cloth, fleece). Wash with plenty of water.

Other information:

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7. Personal protection equipment: see section 8. Disposal: see section 13.

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8).

Fire prevent measures:

Usual measures for fire prevention.

Measures to prevent aerosol and dust generation:

Use only in well-ventilated areas.

Environmental precautions:

Do not allow to enter into surface water or drains.

Advices on general occupational hygiene

Wash hands before breaks and after work. Use protective skin cream before handling the product. When using do not eat, drink or smoke. Avoid contact with eyes and skin.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Packaging materials:

Keep/Store only in original container.

Requirements for storage rooms and vessels:

The floor should be leak tight, jointless and not absorbent.

Hints on storage assembly:

Do not store together with: Food and feedingstuffs

Storage class (TRGS 510, Germany): 12 - non-combustible liquids that cannot be assigned to any of the above storage classes

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Date of creation: 11 Feb 2025

Revised on: 9 Sept 2026

Version: 2.2, replaces version 2.1

OBTEGO
NOT JUST SURFACE

Page 4/11

OBTEGO SP-100

Further information on storage conditions:

Protect containers against damage. Keep away from heat.

7.3. Specific end use(s)

Recommendation:

Observe technical data sheet.

Industrial sector specific solutions:

Covering agents, water based, alkaline

GISCODE:

BSW40

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
DFG (DE) from 1 Jul 2024	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H - isothiazol-3-one [EC no. 220-239-6] (3:1) CAS No.: 55965-84-9	① 0.2 mg/m ³ ⑤ (einatembare Fraktion) Gemisch aus cas 26172-55 und 2682-20

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route ③ Exposure time
Silicic acid, potassium salt CAS No.: 1312-76-1 EC No.: 215-199-1	5.61 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects ③ 8 h
Silicic acid, potassium salt CAS No.: 1312-76-1 EC No.: 215-199-1	1.38 mg/m ³	① DNEL Consumer ② Long-term - inhalation, systemic effects ③ 8 h
Silicic acid, potassium salt CAS No.: 1312-76-1 EC No.: 215-199-1	2.76 mg/m ³	① DNEL Consumer ② Long-term - inhalation, systemic effects ③ 8 h
Silicic acid, potassium salt CAS No.: 1312-76-1 EC No.: 215-199-1	1.49 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects ③ 8 h
Silicic acid, potassium salt CAS No.: 1312-76-1 EC No.: 215-199-1	0.74 mg/kg bw/day	① DNEL Consumer ② Long-term - dermal, systemic effects ③ 8 h
Silicic acid, potassium salt CAS No.: 1312-76-1 EC No.: 215-199-1	1.48 mg/kg bw/day	① DNEL Consumer ② Long-term - dermal, systemic effects ③ 8 h
Silicic acid, potassium salt CAS No.: 1312-76-1 EC No.: 215-199-1	0.74 mg/kg bw/day	① DNEL Consumer ② Long-term - oral, systemic effects ③ 8 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Date of creation: 11 Feb 2025

Revised on: 9 Sept 2026

Version: 2.2, replaces version 2.1

OBTEGO
NOT JUST SURFACE

Page 5/11

OBTEGO SP-100

Substance name	DNEL value	① DNEL type ② Exposure route ③ Exposure time
Silicic acid, potassium salt CAS No.: 1312-76-1 EC No.: 215-199-1	1.48 mg/kg bw/day	① DNEL Consumer ② Long-term - oral, systemic effects ③ 8 h
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H - isothiazol-3-one [EC no. 220-239-6] (3:1) CAS No.: 55965-84-9	0.02 mg/m ³	① DNEL worker ② Long-term - inhalation, local effects ③ 8 h
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H - isothiazol-3-one [EC no. 220-239-6] (3:1) CAS No.: 55965-84-9	0.02 mg/m ³	① DNEL Consumer ② Long-term - inhalation, local effects ③ 8 h
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H - isothiazol-3-one [EC no. 220-239-6] (3:1) CAS No.: 55965-84-9	0.04 mg/m ³	① DNEL worker ② Acute - inhalation, local effects ③ 0.25 h
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H - isothiazol-3-one [EC no. 220-239-6] (3:1) CAS No.: 55965-84-9	0.04 mg/m ³	① DNEL Consumer ② Acute - inhalation, local effects ③ 0.25 h
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H - isothiazol-3-one [EC no. 220-239-6] (3:1) CAS No.: 55965-84-9	0.09 mg/kg bw/day	① DNEL Consumer ② Long-term - oral, systemic effects ③ 8 h
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H - isothiazol-3-one [EC no. 220-239-6] (3:1) CAS No.: 55965-84-9	0.11 mg/kg bw/day	① DNEL Consumer ② Acute - oral, systemic effects ③ 0.25 h
Substance name	PNEC Value	① PNEC type
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H - isothiazol-3-one [EC no. 220-239-6] (3:1) CAS No.: 55965-84-9	3.39 µg/L	① PNEC aquatic, freshwater
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H - isothiazol-3-one [EC no. 220-239-6] (3:1) CAS No.: 55965-84-9	3.39 µg/L	① PNEC aquatic, marine water
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H - isothiazol-3-one [EC no. 220-239-6] (3:1) CAS No.: 55965-84-9	0.23 mg/L	① PNEC sewage treatment plant

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Date of creation: 11 Feb 2025

Revised on: 9 Sept 2026

Version: 2.2, replaces version 2.1

OBTEGO
NOT JUST SURFACE

Page 6/11

OBTEGO SP-100

Substance name	PNEC Value	① PNEC type
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H - isothiazol-3-one [EC no. 220-239-6] (3:1) CAS No.: 55965-84-9	0.027 mg/kg sediment dw	① PNEC sediment, freshwater
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H - isothiazol-3-one [EC no. 220-239-6] (3:1) CAS No.: 55965-84-9	0.027 mg/kg sediment dw	① PNEC sediment, marine water
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H - isothiazol-3-one [EC no. 220-239-6] (3:1) CAS No.: 55965-84-9	0.01 mg/kg soil dw	① PNEC soil

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Technical measures to prevent exposure

8.2.2. Personal protection equipment

Eye/face protection:

Eye glasses with side protection DIN EN ISO 16321-1

Skin protection:

Tested protective gloves must be worn EN ISO 374. Suitable material: Butyl caoutchouc (butyl rubber), Breakthrough time: > 120 min. In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

Respiratory protection:

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Respiratory protection necessary at: aerosol or mist formation. Filtering device (full mask or mouthpiece) with filter: P2

Other protection measures:

Avoid dust formation. Do not breathe dust. Avoid contact with eyes and skin. Wear suitable protective clothing and gloves.

8.2.3. Environmental exposure controls

See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid

Colour: white

Odour: not determined

flammability: No

Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	11.3	20 °C	
Melting point	No data available		
Freezing point	No data available		
Initial boiling point and boiling range	> 100 °C		
Flash point	No data available		
Evaporation rate	No data available		
Auto-ignition temperature	No data available		

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Date of creation: 11 Feb 2025

Revised on: 9 Sept 2026

Version: 2.2, replaces version 2.1

OBTEGO
NOT JUST SURFACE

Page 7/11

OBTEGO SP-100

Parameter	Value	at °C	① Method ② Remark
Upper/lower flammability or explosive limits	No data available		
Vapour pressure	No data available		
Vapour density	No data available		
Density	≈ 1.04 g/cm ³	20 °C	① DIN EN ISO 2811-2
Bulk density	not applicable		
Water solubility	partially miscible		
Dynamic viscosity	No data available		
Kinematic viscosity	No data available		

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid

10.4. Conditions to avoid

See section 7. No additional measures necessary.

10.5. Incompatible materials

Materials to avoid: Acid, Light metals (Formation of: Hydrogen)

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Silicic acid, potassium salt CAS No.: 1312-76-1 EC No.: 215-199-1
LD₅₀ oral: >5,000 mg/kg (rat) EPA OPPTS 870.1100 (Acute Oral Toxicity)
LD₅₀ dermal: >5,000 mg/kg (rat) EPA OPPTS 870.1200 (Acute Dermal Toxicity)
LC₅₀ Acute inhalation toxicity (vapour): >2.06 mg/L 4 h (rat) EPA OPPTS 870.1300 (Acute inhalation toxicity)
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H - isothiazol-3-one [EC no. 220-239-6] (3:1) CAS No.: 55965-84-9
LD₅₀ oral: 200 mg/kg (rat) OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
LD₅₀ dermal: >1,008 mg/kg (rat)
LC₅₀ Acute inhalation toxicity (dust/mist): 0.171 mg/L 4 h (rat) OECD Guideline 403 (Acute Inhalation Toxicity)

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Date of creation: 11 Feb 2025

Revised on: 9 Sept 2026

Version: 2.2, replaces version 2.1

OBTEGO
NOT JUST SURFACE

Page 8/11

OBTEGO SP-100

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

No data available

11.2. Information on other hazards

Endocrine disrupting properties:

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 12: Ecological information

12.1. Toxicity

Silicic acid, potassium salt CAS No.: 1312-76-1 EC No.: 215-199-1

LC₅₀: >146 mg/L 2 d (fish, *Leuciscus idus*) other: DIN 38412, Teil 15 (Golden orfe, acute toxicity test). The German standard method for the examination of water, waste water and sludge; bioassays (group L); determination of the effect of substances in water on fish-fish test which corresponds to OECD 203

EC₅₀: 207 mg/L 3 d (Algae/water plant)

EC₅₀: >146 mg/L 1 d (crustaceans, *Daphnia magna*) OECD Guideline 202 (*Daphnia* sp. Acute Immobilisation Test)

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H - isothiazol-3-one [EC no. 220-239-6] (3:1) CAS No.: 55965-84-9

LC₅₀: 0.18 mg/L 2 d (crustaceans, *Daphnia magna*) EPA OPP 72-2 (Aquatic Invertebrate Acute Toxicity Test)

LC₅₀: 0.19 mg/L 4 d (fish, *Oncorhynchus mykiss* (previous name: *Salmo gairdneri*)) EPA OPP 72-1 (Fish Acute Toxicity Test)

LC₅₀: 0.282 mg/L 4 d (crustaceans, *Americamysis bahia* (previous name: *Mysidopsis bahia*)) EPA OPPTS 850.1035 (Mysid Acute Toxicity Test)

EC₅₀: 0.0357 mg/L 4 d (Algae/water plant, *Pseudokirchneriella subcapitata* (previous names: *Raphidocelis subcapitata*, *Selenastrum capricornutum*))

EC₅₀: 0.099 mg/L 2 d (crustaceans, *Daphnia magna*) OECD Guideline 202 (*Daphnia* sp. Acute Immobilisation Test)

EC₅₀: 0.0063 mg/L 3 d (Algae/water plant, *Skeletonema costatum*)

EC₅₀: 0.0181 mg/L 2 d (Algae/water plant, *Pseudokirchneriella subcapitata* (previous names: *Raphidocelis subcapitata*, *Selenastrum capricornutum*))

NOEC: 0.13 mg/L 4 d (fish, *Oncorhynchus mykiss* (previous name: *Salmo gairdneri*)) EPA OPP 72-1 (Fish Acute Toxicity Test)

NOEC: 0.1 mg/L 21 d (crustaceans, *Daphnia magna*) EPA OPP 72-4 (Fish Early Life-Stage and Aquatic Invertebrate Life-Cycle Studies)

NOEC: 0.0014 mg/L 3 d (Algae/water plant, *Skeletonema costatum*)

NOEC: 0.00049 mg/L 2 d (Algae/water plant, *Skeletonema costatum*)

NOEC: 0.098 mg/L 28 d (fish, *Oncorhynchus mykiss* (previous name: *Salmo gairdneri*)) OECD Guideline 215 (Fish, Juvenile Growth Test)

LOEC: 0.144 mg/L 28 d (fish, *Oncorhynchus mykiss* (previous name: *Salmo gairdneri*)) OECD Guideline 215 (Fish, Juvenile Growth Test)

12.2. Persistence and degradability

Silicic acid, potassium salt CAS No.: 1312-76-1 EC No.: 215-199-1

Biodegradation: Yes, rapidly

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Date of creation: 11 Feb 2025

Revised on: 9 Sept 2026

Version: 2.2, replaces version 2.1

OBTEGO
NOT JUST SURFACE

Page 9/11

OBTEGO SP-100

12.3. Bioaccumulative potential

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H - isothiazol-3-one [EC no. 220-239-6] (3:1) CAS No.: 55965-84-9

Bioconcentration factor (BCF): 54 Species: Lepomis macrochirus

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

Silicic acid, potassium salt CAS No.: 1312-76-1 EC No.: 215-199-1

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H - isothiazol-3-one [EC no. 220-239-6] (3:1) CAS No.: 55965-84-9

Results of PBT and vPvB assessment: —

The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

The mixture does not contain substances $\geq 0.1\%$ of substances that have endocrine disrupting properties according to Regulation (EC) No. 1907/2006, Article 59(1) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605.

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

17 09 04	Mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03
----------	--

Waste code packaging

15 01 02	Plastic packaging
----------	-------------------

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or ID number			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es)			
not relevant	not relevant	not relevant	not relevant
14.4. Packing group			
not relevant	not relevant	not relevant	not relevant

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Date of creation: 11 Feb 2025

Revised on: 9 Sept 2026

Version: 2.2, replaces version 2.1

OBTEGO
NOT JUST SURFACE

Page 10/11

OBTEGO SP-100

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.5. Environmental hazards			
not relevant	not relevant	not relevant	not relevant
14.6. Special precautions for user			
not relevant	not relevant	not relevant	not relevant

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Synthetic polymer microparticles (as per entry 78 in Annex XVII of Regulation (EC) No. 1907/2006)

No synthetic microparticles are present.

Other regulations (EU):

2008/98/EC, 2001/118/EC, 1999/13/EC, 2004/42/EC, (EU) 2015/830, 75/324/EEC, 2008/47/EC, Occupational accident insurance, 2008/68/EC, (EC) No. 648/2004

Information according to 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline): VOC value 0 g/L

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds:

VOC-Wert 0 g/L

This product meets the requirements of Regulation (EC) No. 1935/2004 on the limitation of VOC content.

15.1.2. National regulations

[DE] National regulations

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Störfallverordnung (12. BImSchV)

Remark:

Not subject to StörfallVO.

Technische Anleitung zur Reinhaltung der Luft (TA-Luft)

Remark:

Total dust emission value may not be exceeded (see number 5.2.1).

Water hazard class

WGK:

1 - slightly hazardous to water

Description:

Classification according to VwVwS, Annex 3.

Technische Regeln für Gefahrstoffe

Technical Rules for Hazardous Substances TRGS 200, TRGS 401, TRGS 510, TRGS 900, TRGS 905

Berufsgenossenschaftliche Vorschriften (DGUV-Vorschriften)

Occupational accident insurance (DGUV-Informationen): BGI 595, BGI 564

Other regulations, restrictions and prohibition regulations

German Hazardous Substances Ordinance (GefStoffV), Clean Water Act (CWA) (WHG)

15.2. Chemical Safety Assessment

not applicable

SECTION 16: Other information

16.1. Indication of changes

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Date of creation: 11 Feb 2025

Revised on: 9 Sept 2026

Version: 2.2, replaces version 2.1

OBTEGO
NOT JUST SURFACE

Page 11/11

OBTEGO SP-100

16.2. Abbreviations and acronyms

See overview table at www.euphrac.eu

16.3. Key literature references and sources for data

Substance name	Type	source of supply
Silicic acid, potassium salt CAS No.: 1312-76-1 EC No.: 215-199-1	LD ₅₀ oral; LD ₅₀ dermal; LC ₅₀ Acute inhalation toxicity (vapour); LC ₅₀ ; EC ₅₀	Source: European Chemicals Agency, http://echa.europa.eu/
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) CAS No.: 55965-84-9	LD ₅₀ oral; LD ₅₀ dermal; LC ₅₀ Acute inhalation toxicity (dust/mist); LC ₅₀ ; EC ₅₀ ; NOEC; LOEC	Source: European Chemicals Agency, http://echa.europa.eu/

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements	
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

16.6. Training advice

No data available

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.