

**DECLARATION OF PERFORMANCE**  
**according to Annex III of the Regulation (EU) No 305/2011**

Name of the product **OBTEGO Concrete Coat Si**

1. Unique identification code of the product-type:  
**EN 1504-2: ZA.1d,-1e,-1f**
2. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):  
**Batch number: see packaging of the product**
3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:  
**EN 1504-2: 01-2005 Table 1 - Coating**  
**Ingress protection (1.3C)**  
**Moisture control (2.2C)**  
**Physical resistance (5.1C)**  
**Increasing resistivity (8.2C)**
4. Name, registered trade name or registered trademark and contact address of the manufacturer as required pursuant to Article 11(5):  
**OBTEGO AG**  
**Landshuter Straße 36**  
**84051 Altheim**  
**Germany**
5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):  
**not applicable**
6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:  
**system 4**  
**(for use with low performance requirements in buildings and engineering constructions)**
7. In case of the declaration of performance concerning a construction product covered by a harmonised standard:  
**not relevant**

8. In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:

**not relevant**

9. Declared performance:

| Essential characteristics                      | Performance                                                                                       | Harmonised Technical Standard |
|------------------------------------------------|---------------------------------------------------------------------------------------------------|-------------------------------|
| Adhesion strength by pull-off test             | smooth concrete slab: 3.3 N/mm <sup>2</sup> ,<br>sandblasted concrete slab: 3.7 N/mm <sup>2</sup> | EN 1504-2: 01-2005            |
| Impact resistance                              | smooth concrete slab: class I                                                                     |                               |
| Capillary absorption and permeability to water | $\mathbb{W}_{24} = 0.004 \text{ kg}/(\text{m}^2 \times \text{h}^{0.5})$                           |                               |
| Water vapour permeability                      | class II                                                                                          |                               |
| Abrasion resistance (Part 1: Taber test)       | 198.7 mg                                                                                          |                               |
| Permeability to CO <sub>2</sub>                | NPD                                                                                               |                               |

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Maria de Gutsche  
Quality Management  
(name and function)

Altheim, 7 May 2026  
(place and date of issue)

**OBTEGO®**  
innovative surface protection  
OBTEGO AG  
Landshuter Straße 36 · 84051 Altheim  
Telefon +49(0)8703 93844-0  
Telefax +49(0)8703 93844-29  
www.obtego.com  
(signature)